



Block 9, Baiwannian Industrial Zone, Baishixia Est., Fuyong, Bao'an, Shenzhen,  
Guangdong, China

Tel:0086 755 27322952

Fax:0086 755 27322197

Email: sales8@jrtele.com

Web: www.jrtelephones.com

## J&R Acoustic Telephone Hood for Waterproof, Dustproof Phone Booth



Product Name	Acoustic Telephone Booth
Model No.	JR-PH-02
Materials	Fiberglass reinforced polyester(GRP)
Size	690*480*800 (mm)
Application	<ul style="list-style-type: none"><li>• Refineries • Aerospace • Nuclear facilities</li><li>• Factories • Chemical plants • Bulk loading stations</li><li>• Mines • Drilling rigs • Steel mills</li><li>• Off shore platforms (AB-1000 only)</li><li>• Any high noise industrial location and more .</li></ul>

### PRODUCT FEATURES:

- P9042 - Acoustic insulation: Noise Attenuation up to 15 dB
  - Polyethylene plastic construction
  - Polyethylene material ANSI/UL94 flammability approved
  - Durable, lightweight, chemical resistant body
  - Excellent low temperatures impact properties
  - High performance polyurethane acoustic insulation liner, resistant to mildew and rot.
- Fire retardant class "0" rating
- Completely maintenance free, UV and corrosion resistant, impervious to chemical attack



Block 9, Baiwannian Industrial Zone, Baishixia Est., Fuyong, Bao'an, Shenzhen,  
Guangdong, China

Tel:0086 755 27322952

Fax:0086 755 27322197

Email: sales8@jrtele.com

Web: www.jrtelephones.com

- 
- Convenient writing shelf with drainage hubs to prevent water accumulation
  - Can be used both indoors, outdoors and offshore
  - Permanent black handset graphic molded into the booth surface
  - Standard color - Yellow or customized
  - Optional colors available upon request 1



### **SPECIFICATIONS:**

- Dimensions - 690\*480\*800 (mm)
- Weight - Approx 20 Kg
- Stock Colour - Yellow , Blue, Red, Others to order
- Outer Shell - General Purpose Resin continuous filament mat - Fire Resistance to BS476 Part 7  
Class 1 Surface Spread of Flame
- Cold-rolled Stainless Steel Shelf, powder coated white
- Acoustic Insulation - 50mm Tissue faced non hygroscopic Rockwool (RW3) density 60kg/m<sup>3</sup>
- Insulation Liner - White Perforated Polypropylene 3mm thickness
- Apparatus plate - Cold-rolled Stainless Steel, 2mm thickness, powder coated white
- Mounting Brackets -Cold-rolled Stainless Steel, 6mm thickness

### **ACCESSORIES and OPTIONS:**

Each Acoustic Booth can be fitted with a JR telephone suited for specific needs and requirements, and equipped with:

- LED Strobe Light
- Industrial speaker/ringer, speaker or ringer (up to 110 dB)



Block 9, Baiwannian Industrial Zone, Baishixia Est., Fuyong, Bao'an, Shenzhen,  
Guangdong, China


Tel:0086 755 27322952

Fax:0086 755 27322197

Email: sales8@jrtele.com

Web: www.jrtelephones.com

## DIMENSIONS:



*(Measured in mm)*

## PACKAGE:

Unit size: 690\*480\*800 (mm)

Wooden box size: 720\*500\*830 (mm)

Packaging materials: Pearl cotton, Wooden box

Gross weight: 43 KG

Net weight: 20 KG